

Dupilumab (Dupixent[®]) w leczeniu atopowego zapalenia skóry u dzieci w wieku 6 - 11 lat

Uzupełnienie analiz HTA względem
minimalnych wymagań

Warszawa, 2022

Autorzy

[REDACTED]

Dane kontaktowe

HealthQuest spółka z ograniczoną odpowiedzialnością
ul. Mickiewicza 63
01-625 Warszawa
tel. /fax +48 22 468 05 34
kontakt@healthquest.pl
<http://www.healthquest.pl>

Konflikt interesów

Opracowanie wykonane na zlecenie i finansowane przez Sanofi-Aventis Sp. z o.o.


Zamawiający

Sanofi-Aventis Sp. z o.o.
ul. Bonifraterska 17
00-203 Warszawa

Spis treści

1	W ramach analizy klinicznej (AKL)	3
2	W ramach analizy ekonomicznej (AE).....	7
3	W ramach analizy wpływu na budżet (BIA)	12
4	Wskazanie źródeł danych	14
5	W ramach uwag do całości analizy	15
6	Inne	16
	Spis tabel.....	17
	Spis rysunków.....	18

1 W ramach analizy klinicznej (AKL)



¹ Cork MJ, Eckert L, Simpson EL, Armstrong A, Barbarot S, Puig L, Girolomoni G, de Bruin-Weller M, Wollenberg A, Kataoka Y, Remitz A, Beissert S, Mastey V, Ardeleanu M, Chen Z, Gadkari A, Chao J, Dupilumab improves patient-reported symptoms of atopic dermatitis, symptoms of anxiety and depression, and health-related quality of life in moderate-to-severe atopic dermatitis: analysis of pooled data from the randomized trials SOLO 1 and SOLO 2, *J Dermatolog Treat.* 2019 Jun 9:1-9. doi: 10.1080/09546634.2019.1612836. [Epub ahead of print]. Thaci D, L Simpson E, Deleuran M, Kataoka Y, Chen Z, Gadkari A, Eckert L, Akinlade B, Graham NMH, Pirozzi G, Ardeleanu M, Efficacy and safety of dupilumab monotherapy in adults with moderate-to-severe atopic dermatitis: a pooled analysis of two phase 3 randomized trials (LIBERTY AD SOLO 1 and LIBERTY AD SOLO 2), *J Dermatol Sci.* 2019 May; 94(2): 266-275. doi: 10.1016/j.jdermsci.2019.02.002. Epub 2019 Mar 12.

² Silverberg JI, et al. Atopic dermatitis in the pediatric population: A cross-sectional, international epidemiologic study. *Ann Allergy Asthma Immunol.* 2021 Apr;126(4):417-428.e2. doi: 10.1016/j.anai.2020.12.020. Epub 2021 Jan 6.


³ de Bruin-Weller M, Thaci D, Smith C.H, et al. Dupilumab with concomitant topical corticosteroid treatment in adults with atopic dermatitis with an inadequate response or intolerance to ciclosporin A or when this treatment is medically inadvisable: a placebo-controlled, randomized phase III clinical trial (LIBERTY AD CAFE)*, *British Journal of Dermatology*, 2018, 178, pp 1083-1101.


⁴ Blauvelt A, de Bruin-Weller M, Gooderham M, et al. Long-term management of moderate-to-severe atopic dermatitis with dupilumab and concomitant topical corticosteroids (LIBERTY AD CHRONOS): a 1-year, randomised, double-blinded, placebo-controlled, phase 3 trial, *Lancet*, 2017, 389 (10086): 2287-2303.

⁵ Ara R, Brazier JE. Using health state utility values from the general population to approximate baselines in decision analytic models when condition-specific data are not available. *Value Health.* 2011;14(4):539-45.

100


1





2 W ramach analizy ekonomicznej (AE)

This image shows a document page with several horizontal black redaction bars. The bars are of various lengths and are distributed across the page, obscuring sensitive information. There are approximately 20-25 such bars visible.




[REDACTED]	[REDACTED]	[REDACTED]


[REDACTED]	[REDACTED]	[REDACTED]

[REDACTED]	[REDACTED]	[REDACTED]
	[REDACTED]	
[REDACTED]	[REDACTED]	[REDACTED]

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]



3 W ramach analizy wpływu na budżet (BIA)



[REDACTED]

4 Wskazanie źródeł danych

Figure 1. The effect of the number of training samples on the performance of the proposed model.

Page 1

ANSWER The answer is 1000.

[REDACTED]

1

1

1

1

1

1

1

1

1

Page 1

ANSWER The answer is 1000.


Black Box

[View Details](#) | [Edit](#) | [Delete](#)

5 W ramach uwag do całości analizy

This image shows a document page with several horizontal black redaction bars. The bars are of varying lengths and are positioned at different vertical intervals. There are approximately 15-20 such bars scattered across the page, covering parts of the text that would otherwise be visible.

6 Inne



Spis tabel

[REDACTED] 8
[REDACTED] 9
[REDACTED] 9
[REDACTED] 10
[REDACTED] 11
[REDACTED] 14

Spis rysunków

[REDACTED]	8
------------	-------	---